

#### **REX POWER MAGNETICS**

A DIVISION OF TRANSFACTOR INDUSTRIES INC. 65 BASALTIC RD, CONCORD, ON, CA L4K 1G4 TEL: 905-695-8844 • FAX: 905-695-8855 WWW.REXPOWERMAGNETICS.COM

## TRANSFORMER SPECIFICATION

- 3 Phase Auto
- Dry Type
- ANN -Self cooled

Purchaser: TBA
PO#: TBA
SWO#: TBA
Qty: TBA

# **Preliminary Drawing ONLY**

This drawing may NOT truly reflect our final design. Any resulting order(s) must be accompanied by or refer to this drawing and be marked with any proposed changes

| Coils:<br>Cat. No.: | Copper<br>RC3H-B |
|---------------------|------------------|
| kVA:<br>Primary:    | 3<br>480 Volts   |
| Secondary:          | 208 Volts        |
| Frequency:          | 60 Hz            |
| Insulation Class:   | 220° C           |
| Temperature Rise:   | 150° C           |
| Impedance:          | 3.5 - 4.5 %      |
| Sound Level:        | 40 dB            |
| Weight:             | 65 Lbs           |

| Termination                       | Location     | Terminals       |
|-----------------------------------|--------------|-----------------|
| Primary:                          | Front        | Terminal Blocks |
| Secondary:                        | Front        | Terminal Blocks |
| Ground lug:<br>(@ the base of the | e enclosure) | 2 to 14 AWG     |

## **Wiring Connection:**

| Primary: |                   |
|----------|-------------------|
| Voltage  | Connect Lines To: |
| 480      | H1-H2-H3          |

#### Secondary:


| Voltage | Connect Loads To: |
|---------|-------------------|
| 208     | X1-X2-X3          |

### Standards: 1. CSA Cer

- 1. CSA Certified File No. LR34493
- 2. UL Listed File No. E108255


### **Standard Features:**


- Anti-vibration pads installed between the enclosure base and the core & coil assembly
- 2. Ground lug provided
- 3. Seismic rated for USA zone 4 and Canada zone 6



## **CSA Enclosure:**

- Type 1 (NEMA 1)
- Ventilated
- ASA 61 grey
- Floor mounting





SIDE VIEW

| Rev. | Remarks | Ву | Appr. By | Date |
|------|---------|----|----------|------|

 Prepared by:
 AP

 Approved by:
 VS

 Date:
 AUG.13, 2013

F:\2017 Done\Finished Sets\RC...H-B